

**ADDENDUM No. 1 EHS WROUGHT IRON FENCE AND GATES PROJECT
EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**

DATE: November 16, 2018

BID DATE: November 27, 2018

NOTICE:

- A. *The following changes, omissions or alterations to the specification and drawings shall be made insofar as the specifications and drawings are inconsistent with following, this addendum shall govern.*
 - B. *Acknowledge receipt of this addendum by inserting its number and date of issue in the place provided for same in the proposal. This addendum forms a part of the Contract Documents.*
 - C. *It is imperative that this addendum be inserted INTO set of specifications.*
-

Item No. 1 Picket Fence Thickness:

- A. In lieu of 3/16" for picket fence tube thickness, it will be changed to 1/8" thick tube.

Item No. 2 To Add Tube Post Fence Top Cover to Metal Fence:

- A. Pre-Fab. 3" x 3" Tube Post top cover is to be a metal cap, color to match fence color.
- B. 3/4" Tube Picket Fence top is to be a plastic cap painted with same primer and paint.

Item No. 3 To Add Tube Post Fence Top Cover to Galvanized Fence:

- A. 3" x 3" Galvanized Tube Post top to be pre-fab. Galvanized cap, in lieu of metal tube post plastic cap.
- B. If Alt. # 2, Galvanized Finished is selected, than picket fence cap will also be galvanized finished.

Item No. 4 Painting of Wrought Iron Fence:

- A. In lieu of Industrial Enamel Paint, use DTM (direct to metal) paint from Sherwin-Williams paints.

Item No. 5 Block Color:

- A. Block color is to be White (as per Innovative Block colors #1), in color selection sample box.