



EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT

Purchasing Department

411 North 8th Street

Edinburg, Texas 78541

PHONE: (956) 289-2311 FAX: (956) 383-7687

Dr. René Gutiérrez, Superintendent

Dr. Rebecca Morrison, Asst. Supt. for Finance & Operations



Innovate through Technology



ADDENDUM 1

BID 19-94, BL Garza Middle School New Parking Lot & Pavement Reconstruction

March 8, 2019

I. INSTRUCTIONS:

1. This addendum to Request for Proposals is issued after the receipt of bids. All changes covered in this addendum shall be included in your bid, and the addendum will be considered as one of the contract documents.
2. Proposers shall acknowledge receipt of this ADDENDUM as a signed attachment included with your bid if you haven't sent the bid.

II. PLEASE CHANGE:

Please replace plan pages 16-19 on previous bid forms with the attached pages. Contact SAMES Engineering & Surveying for better copies of the pages.

SAMES

200 S. 10TH Street, STE 1500

McAllen, TX 78501

PH: 956-702-8880

Respectfully Submitted,

Amaro Tijerina
Purchasing Director

(Signature of authorized officer) Date

Company Name

Nondiscrimination Statement

It is the policy of Edinburg CISD not to discriminate on the basis of gender, age, handicap, religion, race, color, or national origin in its educational programs.

Es política del Distrito Escolar de Edinburg el no discriminar por razones con base en género, edad, religión, raza,

color origen nacional, ni discapacidad dentro de sus programas educacionales.

Communicate and Connect with All Stakeholders





Excel in Academics and Ensure Equal Access

Secure a Safe Learning Environment




Develop and Retain Highly Qualified Staff








Typical Building Subgrade Preparation




Steel Column Base Plate

Footings at Exterior Steel Column, Canopy
 $1' \times 1' 6''$ 


Footing at Exterior




Typical Slab Construction Joint




Typical Stepped Footing




Typical Slab Contraction Joint ☐



Typical Piping Through Footing



Typical Reinforcing at Concrete Intersections



Typical Reinforcing Bends

DIAMETER OF	
STRAIGHT	4.00 FOR 83 TROUS 80 BARS
MADE INS	4.00 FOR 80 TROUS 80 BARS
	4.00 FOR 83 TROUS 80 BARS
ALL	4.00 FOR 89 TROUS 81 BARS
OTHERS	4.00 FOR 84 TROUS 81 BARS